Weather Based Irrigation Controller

Qualifying Products List as of Nov 07, 2013

Only WBICs that are Smart Water Application Technology (SWAT)-tested or EPA WaterSense certified qualify for SoCal Water$mart rebates. For more information about SWAT independent, third party performance testing protocol specific to WBICs, visit: http://www.irrigation.org/SWAT/swat.aspx?id=298

For more information about EPA WaterSense certified WBICs, visit: http://www.epa.gov/WaterSense/products/controltech.html

Please note: Add-on devices qualify only if packaged and sold as a combined unit with a preapproved controller as listed below. All controller systems must be installed with the proper weather sensor equipment according to manufacturer specifications.

BRAND	MODEL	BRAND	MODEL
Alex-Tronix	Enercon Plus	Alex-Tronix	Enercon Plus 4-24
Alex-Tronix	Smart Clock	Alex-Tronix	Universal Smart
Calsense	All ET2000e Models	Calsense	ET2000
Calsense	ET2000e	Champion	C Series
Champion	R4	Cyber-Rain	01XCIPA08
Cyber-Rain	01XCIPA16	Cyber-Rain	01XCIPC08
Cyber-Rain	01XCIPC08-G	Cyber-Rain	01XCIPC16
Cyber-Rain	01XCIPC16-G	Cyber-Rain	01XCIPO08-1W
Cyber-Rain	01XCIPO08-24	Cyber-Rain	01XCIPO16-1W
Cyber-Rain	01XCIPO16-24	Cyber-Rain	01XCIPO24-1W
Cyber-Rain	01XCIPO24-24	Cyber-Rain	01XCIPS08-24
Cyber-Rain	01XCIPS08-900	Cyber-Rain	01XCIPS16-24
Cyber-Rain	01XCIPS16-900	Cyber-Rain	01XCIPS24-24
Cyber-Rain	01XCIPS24-900	Cyber-Rain	01XCISC08-G
Cyber-Rain	01XCISC16-G	Cyber-Rain	XCI System
Et Water	105	Et Water	204
Et Water	205	Et Water	All 100 Series Models
Et Water	All 200 Series Models	Et Water	ETW-HC
Et Water	HermitCrab	Et Water	Smart Controllers 105
Et Water	Smart Controllers 204	Et Water	Smart Controllers 205
Hunter	ACC WITH SOLARSYNCSEN OR WSSSEN	Hunter	ACC-1200
Hunter	ACC-1200-*-SOLARSYNC	Hunter	ACC-1200-*-WSSEN
Hunter	ACC-1200PP	Hunter	ACC-1800
Hunter	ACC-2400	Hunter	ACC-3000
Hunter	ACC-3600	Hunter	ACC-4200
Hunter	ACC-99D	Hunter	ACC-99DPP
Hunter	ACC-COM-GSM	Hunter	ACC-COM-HWR
Hunter	ACC-COM-POTS	Hunter	ACC-HWIM
Hunter	APPBRKT	Hunter	EC
Hunter	I-CORE	Hunter	I-CORE WITH SOLARSYNCSEN OR WSSSEN
Hunter	IC-600-*-SOLARSYNC	Hunter	IC-600-*-WSSEN
Hunter	IC-600-M	Hunter	IC-600-M I-CORE METAL CABINET INDOOR/OUTDOOR

Weather Based Irrigation Controller

Qualifying Products List as of Nov 07, 2013

Only WBICs that are Smart Water Application Technology (SWAT)-tested or EPA WaterSense certified qualify for SoCal Water$mart rebates. For more information about SWAT independent, third party performance testing protocol specific to WBICs, visit: http://www.irrigation.org/SWAT/swat.aspx?id=298

For more information about EPA WaterSense certified WBICs, visit: http://www.epa.gov/WaterSense/products/controltech.html

Please note: Add-on devices qualify only if packaged and sold as a combined unit with a preapproved controller as listed below. All controller systems must be installed with the proper weather sensor equipment according to manufacturer specifications.

BRAND	MODEL	BRAND	MODEL
Hunter	IC-600-PL	Hunter	IC-600-PL I-CORE PLASTIC CABINET INDOOR/OUTDOOR
Hunter	IC-600-PP	Hunter	IC-600-PP I-CORE PLASTIC PEDESTAL INDOOR/OUTDOOR
Hunter	IC-600-SS	Hunter	IC-600-SS I-CORE STAINLESS CABINET INDOOR/OUTDOOR
Hunter	ICC	Hunter	ICC-1600M-SSYNC
Hunter	ICC-1600PL-SSYNC	Hunter	ICC-1600SS-SSYNC
Hunter	ICC-2400M-SSYNC	Hunter	ICC-2400PL-SSYNC
Hunter	ICC-2400SS-SSYNC	Hunter	ICC-3200M-SSYNC
Hunter	ICC-3200PL-SSYNC	Hunter	ICC-3200SS-SSYNC
Hunter	ICC-4800M-SSYNC	Hunter	ICC-4800SS-SSYNC
Hunter	ICC-800-M	Hunter	ICC-800-PL
Hunter	ICC-800-SS	Hunter	ICC-800M-SSYNC
Hunter	ICC-800PL-SSYNC	Hunter	ICC-800SS-SSYNC
Hunter	PC-300-SOLARSYNC	Hunter	PC-300-SSYNC
Hunter	PC-300-WSS	Hunter	PC-300i-SOLARSYNC
Hunter	PC-300i-SSYNC	Hunter	PC-300i-WSS
Hunter	PCC	Hunter	PCC with Solar Sync
Hunter	PCC-1200	Hunter	PCC-1200i
Hunter	PCC-1500	Hunter	PCC-1500i
Hunter	PCC-600	Hunter	PCC-600i
Hunter	PCC-900	Hunter	PCC-900i
Hunter	PCC-x00-SOLARSYNCSEN	Hunter	PCC-x00-WSS
Hunter	PCC-x00i-SOLARSYNCSEN	Hunter	PCC-x00i-WSS
Hunter	PRO-C	Hunter	Pro-C with Solar Sync
Hunter	PRO-C WITH SOLARSYNC OR WSS	Hunter	RAD3
Hunter	RAD460INT	Hunter	RTL0101-XC800SS
Hunter	SOLARSYNC	Hunter	SOLARSYNCSEN
Hunter	SRC	Hunter	WSS
Hunter	WSSSEN	Hunter	X-CORE
Hunter	X-CORE WITH SOLARSYNCSEN OR WSSSEN	Hunter	XC
Hunter	XC-200i	Hunter	XC-200I X-CORE 2 STATION INDOOR

Weather Based Irrigation Controller

Qualifying Products List as of Nov 07, 2013

Only WBICs that are Smart Water Application Technology (SWAT)-tested or EPA WaterSense certified qualify for SoCal Water$mart rebates. For more information about SWAT independent, third party performance testing protocol specific to WBICs, visit: http://www.irrigation.org/SWAT/swat.aspx?id=298

For more information about EPA WaterSense certified WBICs, visit: http://www.epa.gov/WaterSense/products/controltech.html

Please note: Add-on devices qualify only if packaged and sold as a combined unit with a preapproved controller as listed below. All controller systems must be installed with the proper weather sensor equipment according to manufacturer specifications.

BRAND	MODEL	BRAND	MODEL
Hunter	XC-400	Hunter	XC-400 X-CORE 4 STATION OUTDOOR
Hunter	XC-400i	Hunter	XC-400I X-CORE 4 STATION INDOOR
Hunter	XC-600	Hunter	XC-600 X-CORE 6 STATION OUTDOOR
Hunter	XC-600i	Hunter	XC-600I X-CORE 6 STATION INDOOR
Hunter	XC-800	Hunter	XC-800 X-CORE 8 STATION OUTDOOR
Hunter	XC-800i	Hunter	XC-800I X-CORE 8 STATION INDOOR
Hunter	XC-x00-SOLARSYNCSEN	Hunter	XC-x00-WSS
Hunter	XC-x00i-SOLARSYNCSEN	Hunter	XC-x00i-WSS
Hydroheat	HRC 100 C	Hydropoint	WeatherTRAK ET Pro2
Hydropoint	WeatherTRAK ET Pro3	Hydropoint	WeatherTRAK LC
Hydropoint	WEATHERTRAK LC CENTRAL	Hydropoint	WTLC-C-06-PL
Hydropoint	WTLC-C-06-PL-F	Hydropoint	WTLC-C-12-PL
Hydropoint	WTLC-C-12-PL-F	Hydropoint	WTLC-C-18-PL
Hydropoint	WTLC-C-18-PL-F	Hydropoint	WTLC-C-X-PL
Hydropoint	WTLC-C-X-PL-F	Hydropoint	WTPRO2S-B-X-CH1
Hydropoint	WTPRO2S-B-X-CH2	Hydropoint	WTPRO2S-B-X-CH4
Hydropoint	WTPRO2S-B-X-CH5	Hydropoint	WTPRO2S-B-X-CH7
Hydropoint	WTPRO2S-B-X-CWM	Hydropoint	WTPRO2S-B-X-SPH
Hydropoint	WTPRO2S-B-X-SPS	Hydropoint	WTPRO2S-B-X-SPT
Hydropoint	WTPRO2S-B-X-SWM	Hydropoint	WTPRO2S-C-X-CH1
Hydropoint	WTPRO2S-C-X-CH2	Hydropoint	WTPRO2S-C-X-CH4
Hydropoint	WTPRO2S-C-X-CH5	Hydropoint	WTPRO2S-C-X-CH7
Hydropoint	WTPRO2S-C-X-CWM	Hydropoint	WTPRO2S-C-X-SPH
Hydropoint	WTPRO2S-C-X-SPS	Hydropoint	WTPRO2S-C-X-SPT
Hydropoint	WTPRO2S-C-X-SWM	Hydropoint	WTPRO3-C-X-CH1-*
Hydropoint	WTPRO3-C-X-CH2-*	Hydropoint	WTPRO3-C-X-CH4-*
Hydropoint	WTPRO3-C-X-CH5-*	Hydropoint	WTPRO3-C-X-CH7-*
Hydropoint	WTPRO3-C-X-CWM-*	Hydropoint	WTPRO3-C-X-SPH-*
Hydropoint	WTPRO3-C-X-SPS-*	Hydropoint	WTPRO3-C-X-SPT-*
Hydropoint	WTPRO3-C-X-SWM-*	Hydropoint	WTSY-C-X-PL
Hydropoint	WTSY-C-X-PL-F	Hydrorain	HRC 100 C
Hydrorain	HRC 300	Hydrorain	HRC 390
Hydrosaver	ETIC 24	Irrisoft	Clc

Weather Based Irrigation Controller

Qualifying Products List as of Nov 07, 2013

Only WBICs that are Smart Water Application Technology (SWAT)-tested or EPA WaterSense certified qualify for SoCal Water$mart rebates. For more information about SWAT independent, third party performance testing protocol specific to WBICs, visit: http://www.irrigation.org/SWAT/swat.aspx?id=298

For more information about EPA WaterSense certified WBICs, visit: http://www.epa.gov/WaterSense/products/controltech.html

Please note: Add-on devices qualify only if packaged and sold as a combined unit with a preapproved controller as listed below. All controller systems must be installed with the proper weather sensor equipment according to manufacturer specifications.

BRAND	MODEL	BRAND	MODEL
Irrisoft	Cle	Irrisoft	CLw
Irritrol	Irritrol KwikDial	Irritrol	Irritrol® MCE
Irritrol	Irritrol® Rain Dial®-R	Irritrol	Irritrol® Total Control®-R
Irritrol	JR MAX SERIES	Irritrol	KDX-*
Irritrol	KWIK DIAL W/ CLIMATE LOGIC KIT	Irritrol	KWIKDIAL
Irritrol	MC PLUS SERIES	Irritrol	MC-E SERIES W/ CLIMATE LOGIC KIT
Irritrol	MC-XE	Irritrol	RAIN DIAL –R W/ CLIMATE LOGIC KIT
Irritrol	RAINDIAL PLUS SERIES	Irritrol	RAINDIAL SERIES
Irritrol	RDX00-*-R	Irritrol	RMEXEGi-*
Irritrol	SD1200-EXT	Irritrol	SD1200-INT
Irritrol	SD1200-MOD	Irritrol	SD2400-EXT
Irritrol	SD600-EXT	Irritrol	SD600-INT
Irritrol	SD600-MOD	Irritrol	SD900-EXT
Irritrol	SD900-INT	Irritrol	SD900-MOD
Irritrol	TC-YEX-R	Irritrol	TC-YIN-R
Irritrol	TOTAL CONTROL –R SERIES W/ CLIMATE LOGIC KIT	K-Rain	Pro EX Modular
K-Rain	RPS SERIES	Nelson	EZ Pro Jr Series
Nelson	EZ PRO SERIES	Nelson	SMARTZONE EZ SERIES
Orbit	Easy-Set Logic	Rain Bird	EC CONTROLLER
Rain Bird	ESP LX PLUS	Rain Bird	ESP-4-SMTE
Rain Bird	ESP-4-SMTEI	Rain Bird	ESP-EC SERIES
Rain Bird	ESP-LX	Rain Bird	ESP-LX MODULAR
Rain Bird	ESP-LX with ET Manager Cartridge	Rain Bird	ESP-ME
Rain Bird	ESP-SMT	Rain Bird	ESP-SMT-4
Rain Bird	ESP-SMT-4i	Rain Bird	ESP-SMT-UPG
Rain Bird	ESP-SMTE-UPG	Rain Bird	ESPLXD-ET
Rain Bird	ESPLXME-ET	Rain Bird	ET Manager
Rain Bird	ETC-LX	Rain Bird	SST
Rain Bird	SST-1200s	Rain Bird	SST-600s
Rain Bird	STP	Rain Master	RME Eagle
Rain Master	SENTAR II	Raindrip	RSC600is
Raindrip	Weathersmart Pro RSC600is	Signature	AUTSLWY1A PxxxX4[1]
Signature	AUTSLWY1A SxxxX4[1]	Signature	AUTSLWY1B PxxxX4[1]

Weather Based Irrigation Controller

Qualifying Products List as of Nov 07, 2013

Only WBICs that are Smart Water Application Technology (SWAT)-tested or EPA WaterSense certified qualify for SoCal Water$mart rebates. For more information about SWAT independent, third party performance testing protocol specific to WBICs, visit: http://www.irrigation.org/SWAT/swat.aspx?id=298

For more information about EPA WaterSense certified WBICs, visit: http://www.epa.gov/WaterSense/products/controltech.html

Please note: Add-on devices qualify only if packaged and sold as a combined unit with a preapproved controller as listed below. All controller systems must be installed with the proper weather sensor equipment according to manufacturer specifications.

BRAND	MODEL	BRAND	MODEL
Signature	AUTSLWY1B SxxxX4[1]	Signature	AUTSLWY1D PxxxX4[1]
Signature	AUTSPE*1B PxxxX4[1]	Signature	AUTSPE*1B SxxxX4[1]
Signature	AUTSPE*1C PxxxX4[1]	Signature	AUTSPE*1C SxxxX4[1]
Signature	AUTSPE*1D PxxxX4[1]	Signature	GALSLWY1A PxxxX4[1]
Signature	GALSLWY1A SxxxX4[1]	Signature	GALSLWY1B PxxxX4[1]
Signature	GALSLWY1B SxxxX4[1]	Signature	GALSLWY1D PxxxX4[1]
Signature	GALSPE*1B PxxxX4[1]	Signature	GALSPE*1B SxxxX4[1]
Signature	GALSPE*1C PxxxX4[1]	Signature	GALSPE*1C SxxxX4[1]
Signature	GALSPE*1D PxxxX4[1]	Signature	GALSSWYSE S006X4[1]
Signature	SHAREB8250W[1]	Signature	SHAREB8255S[1]
Signature	SHAREB8603W[1]	Signature	SHAREB8608W[1]
Signature	SHAREB8612W[1]	Signature	SHAREB8616W[1]
Signature	SHAREB8620W[1]	Signature	SHAREB8624W[1]
Signature Control Systems	Constellation	Signature Control Systems	EZ SERIES
Smg Superior Control	All Sterling Series Models	Superior Controls	STERLING
Superior Controls	Sterling 8 Controller	Superior Controls	STERLING SERIES
Toro	53855	Toro	CC-*-X
Toro	CUSTOM COMMAND	Toro	EC XTRA w/ XTRA SMART Sensor and Pod 53855
Toro	EC-EXTRA	Toro	EC•XTRA
Toro	EVOLUTION	Toro	LAWN MASTER II
Toro	SIS-240	Toro	TCC SERIES
Toro	TIS-06-ID	Toro	TIS-06-OD
Toro	TIS-09-ID	Toro	TIS-09-OD
Toro	TIS-12-ID	Toro	TIS-12-OD
Toro	TIS-24-ID	Toro	TIS-24-OD
Toro	TIS-240	Toro	TIS-612
Toro	TIS-X-*	Toro	TIS-XP-*
Toro	TMC 212 W/ CLIMATE LOGIC KIT	Toro	TMC 424E W/ CLIMATE LOGIC KIT
Toro	TMC-212	Toro	TMC-212 SERIES
Toro	TMC-212-*	Toro	TMC-424 SERIES
Toro	TMC-424E	Tucor	RKS
Wateroptimizer	WaterOptimizer 300	Weathermatic	LMC SERIES WITH SLW WEATHER SENSOR
Weathermatic	PROLINE WITH SLW WEATHER SENSOR	Weathermatic	SL1600 WITH SLW WEATHER SENSOR
Weathermatic	SL1604-SLW1	Weathermatic	SL1604-SLW15
Weathermatic	SL1604-SLW5	Weathermatic	SL1608-SLW1
Weathermatic	SL1608-SLW15	Weathermatic	SL1608-SLW5

Weather Based Irrigation Controller

Qualifying Products List as of Nov 07, 2013

Only WBICs that are Smart Water Application Technology (SWAT)-tested or EPA WaterSense certified qualify for SoCal Water$mart rebates. For more information about SWAT independent, third party performance testing protocol specific to WBICs, visit: http://www.irrigation.org/SWAT/swat.aspx?id=298

For more information about EPA WaterSense certified WBICs, visit: http://www.epa.gov/WaterSense/products/controltech.html

Please note: Add-on devices qualify only if packaged and sold as a combined unit with a preapproved controller as listed below. All controller systems must be installed with the proper weather sensor equipment according to manufacturer specifications.

BRAND	MODEL	BRAND	MODEL
Weathermatic	SL1612-SLW1	Weathermatic	SL1612-SLW15
Weathermatic	SL1612-SLW5	Weathermatic	SL1616-SLW1
Weathermatic	SL1616-SLW15	Weathermatic	SL1616-SLW5
Weathermatic	SL1620 WITH SLW WEATHER SENSOR	Weathermatic	SL1620-SLW1
Weathermatic	SL1620-SLW15	Weathermatic	SL1620-SLW5
Weathermatic	SL1624 WITH SLW WEATHER SENSOR	Weathermatic	SL1624-SLW1
Weathermatic	SL1624-SLW15	Weathermatic	SL1624-SLW5
Weathermatic	SL4800 WITH SLW WEATHER SENSOR	Weathermatic	SL4812-SLW1
Weathermatic	SL4812-SLW15	Weathermatic	SL4812-SLW5
Weathermatic	SL4824-SLW1	Weathermatic	SL4824-SLW15
Weathermatic	SL4824-SLW5	Weathermatic	SL4836-SLW1
Weathermatic	SL4836-SLW15	Weathermatic	SL4836-SLW5
Weathermatic	SL4848-SLW1	Weathermatic	SL4848-SLW15
Weathermatic	SL4848-SLW5	Weathermatic	SL800 WITH SLW WEATHER SENSOR
Weathermatic	SL804-SLW1	Weathermatic	SL804-SLW15
Weathermatic	SL804-SLW5	Weathermatic	SL806-SLW1
Weathermatic	SL806-SLW15	Weathermatic	SL806-SLW5
Weathermatic	SL808-SLW1	Weathermatic	SL808-SLW15
Weathermatic	SL808-SLW5	Weathermatic	SMARTLINE WITH SLW WEATHER SENSOR

Symbols (* + #) indicate that one or more coding variables may be used in place of the symbol to indicate a color or feature that does not affect washer efficiency.

For more information, call **888-376-3314** or visit **www.bewaterwise.com**

Central Computer Irrigation Controller

Qualifying Products List as of Nov 07, 2013

BRAND	MODEL	BRAND	MODEL
Hunter	ACC	Hunter	IMMS
Hydropoint	WeatherTRAK ET Pro	Hydropoint	WEATHERTRAK LC CENTRAL
Rain Bird	IQ	Rain Bird	IQ2
Rain Bird	Maxicom	Rain Bird	MDC
Rain Bird	SiteControl	Rain Master	Eagle
Rain Master	Evolution	Rain Master	Evolution DX2
Rain Master	iCentral	Superior Controls	Aurora Series
Superior Controls	eConstellation Series	Toro	itePro Central Control
Toro	Sentinel Central Control	Toro	TIS-360
Toro	TIS-480	Tucor	Flowmaster PROCOM
Tucor	Flowmaster Series COM-25	Tucor	Flowmaster SeriesTWC-NV
Tucor	RKD – Decoder		

Symbols (* + #) indicate that one or more coding variables may be used in place of the symbol to indicate a color or feature that does not affect washer efficiency.

For more information, call **888-376-3314** or visit **www.bewaterwise.com**